

**Safety Data Sheet**  
Created according to GHS

Printing date 10/15/2024

Reviewed on 10/15/2024


**1 Identification**

- **Product identifier**
- **Trade name:** K-HUMATE 26%
- **Article number:** DKJ0113
- **Application of the substance / the mixture** Soil improver
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Guaranteed by:  
Omnia Specialities Inc.  
2255 Sheridan Blvd, C-209  
Edgewater, Co. 80214
  
- Manufactured by:  
Omnia Specialities Australia Pty Ltd  
(ACN 102 717 019)  
Tramway Road, Morwell 3840,  
Victoria, Australia
  
- Afterhours and toll-free number: (800)760-8402  
Office number: (720) 932-1610
- **Information department:**  
info@omniausa.org  
+1-800-760-8402
- **Emergency telephone number:** ChemTrec 1-800-262-8200 Available 24/7

**2 Hazard(s) identification**

- **Classification of the substance or mixture**  
The product is not classified, according to the Globally Harmonized System (GHS).

---

  - **Label elements**
  - **GHS label elements** Void
  - **Hazard pictograms** Void
  - **Signal word** Void
  - **Hazard statements** Void
  - **Information pertaining to particular dangers for man and environment:**  
May slightly irritate skin, may irritate eyes and may irritate the intestinal tract. Release into natural water systems in large quantities may harm aquatic life.
  - **Classification system:**
  - **NFPA ratings (scale 0 - 4)**
- 

Health = 0  
Fire = 0  
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
- |            |   |
|------------|---|
| HEALTH     | 0 |
| FIRE       | 0 |
| REACTIVITY | 0 |

Health = 0  
Fire = 0  
Reactivity = 0
- **Other hazards**  
Combining with solid oxidizing fertilizers may increase the hazardousness of the fertilizer and result in its classification as explosive material.

(Contd. on page 2)

# Safety Data Sheet

Created according to GHS

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: **K-HUMATE 26%**

(Contd. of page 1)

Once material has dried and turned into powder, treat the powder like coal dust. It can ignite and burn.

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**  
Product is a solution of K-Humate in water. The CAS number of K-Humate is 68514-28-3 and the EC number is 271-030-1.
- **Dangerous components: Void**

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Product is alkaline and contains small amounts of KOH.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**  
Immediately rinse with water until clean.  
First responder should wear protective gear and not come into contact with alkaline material.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. Then consult a doctor.  
First responder should wear protective gear and not come into contact with alkaline material.
- **After swallowing:**  
Do not induce vomiting.  
If the person is conscious, wash out mouth with water and give 2 or 3 glasses of water to drink.  
Obtain immediate medical attention.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
The product is alkaline and may irritate gastro-intestinal tract, eyes and skin.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
Use fire extinguishing methods suitable to surrounding conditions. Water spray jet, foam, or dry fire-extinguishing substance.
- **For safety reasons unsuitable extinguishing agents:** No unsuitable fire extinguishing agents
- **Special hazards arising from the substance or mixture**  
If liquid boils dry, harmful gasses will be produced and resultant dry material may be more combustible
- **Advice for firefighters**  
Do not allow run-off from fire to enter sewers or water ways.  
Once boiled dry material may burn as easily as charcoal and may cause dust explosions.
- **Protective equipment:**  
Wear self-contained respiratory protective device.  
Wear fully protective suit.

(Contd. on page 3)

# Safety Data Sheet

Created according to GHS

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: K-HUMATE 26%

(Contd. of page 2)

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective gear. Do not inhale the material or its combustion products. Go against the wind and keep out of low areas. Evacuate personnel to safe area.

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Collect the product mechanically . Deposit in recipient for recuperation.

When material spilled on soil, material likely to partially enter soil. In this case collect such soil also.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

- **Protective Action Criteria for Chemicals**

- **PAC-1:**

None of the ingredients is listed.

- **PAC-2:**

None of the ingredients is listed.

- **PAC-3:**

None of the ingredients is listed.

## 7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

Avoid contact with skin, eyes and clothing.

Do not eat, drink or smoke in the work place.

Wash hands after use. Remove contaminated clothing and protective equipment before entering eating areas.

- **Information about protection against explosions and fires:**

Keep away from sources of ignition - no smoking.

Protect from heat sources as drying up of this material may release dust that can form dust explosions. Dried material may also burn like charcoal.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store in cool, dry, well ventilated space

Have eye wash stations and safety shower nearby.

Store in sealed containers. Store banded when reasonable.

- **Information about storage in one common storage facility:**

Store away from foodstuffs.

Do not store together with oxidizing and acidic materials.

- **Further information about storage conditions:** Protect from heat and direct sunlight.

- **Specific end use(s)** Agricultural

## 8 Exposure controls/personal protection

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

US

# Safety Data Sheet

Created according to GHS

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: **K-HUMATE 26%**

(Contd. of page 3)

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

*Avoid contact with the eyes and skin.*

*Wash hands before breaks and at the end of work.*

*Immediately remove all soiled and contaminated clothing.*

*Ensure eyewash stations and safety showers are close to the work station.*

*Keep away from foodstuffs, beverages and feed.*

- **Breathing equipment:**



*In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.*

- **Protection of hands:**



*Wear protective gloves*

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

- **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

- **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

- **Eye protection:**



*Wear safety glasses*

- **Body protection:**



*Protective work clothing*

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:** Liquid

**Color:** Dark brown

· **Odor:** Earthy

· **Odor threshold:** Not determined.

· **pH-value at 20 °C (68 °F):** 11.4

- **Change in condition**

**Melting point/Melting range:** Undetermined.

**Boiling point/Boiling range:** Undetermined.

(Contd. on page 5)

# Safety Data Sheet

Created according to GHS

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: K-HUMATE 26%

(Contd. of page 4)

· <b>Flash point:</b>	Not applicable.
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Ignition temperature:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
Lower:	Not determined.
Upper:	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	1.1 g/cm <sup>3</sup> (9.1795 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
Dynamic:	Not determined.
Kinematic:	Not determined.
· <b>Solvent content:</b>	
Water:	76.4 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
· <b>Solids content:</b>	23.6 %
· <b>Other information</b>	Mixing product with solid oxidizers may result in re-classification of oxidizers as explosives. Product may form a sludge when mixed with divalent cations and when the the pH is decreased.

## 10 Stability and reactivity

- **Reactivity** Reacts with acids and divalent cations to form a sludge
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** May dry out and burn with extreme heating.
- **Possibility of hazardous reactions**  
High temperatures may ignite  
Reacts with strong acids and oxidizing agents.
- **Conditions to avoid** Incompatibles and extreme temperatures
- **Incompatible materials:** Incompatible with oxidizers, calcium ions, divalent cations and acids.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide
- **Additional information:**  
When heated to dryness dust that may form may result in dust explosions. May burn like charcoal once dry.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the eye:** No irritating effect.

(Contd. on page 6)

-US

# Safety Data Sheet

Created according to GHS

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: **K-HUMATE 26%**

(Contd. of page 5)

- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

This material has a high pH and release of large volumes into aquatic systems may raise the pH resulting in harm to aquatic life.

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

Humic substances are some of the most recalcitrant forms of soil organic matter and may therefore biodegrade only slowly and may also accumulate in soil. As potassium humate is water soluble, it may be mobile and may leach through soil. The presence of clay material or calcium and other divalent cations, is likely to retard its movement.

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation:**

Must not be disposed together with household garbage. Do not allow product to reach sewage system. If the fertilizer is not contaminated, recycle it. If contaminated, consult with specialists.

- **Uncleaned packagings:**

- **Recommendation:** Disposal must be made according to official regulations.

- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- **UN-Number**

- **DOT, ADR, IMDG, IATA**

Void

(Contd. on page 7)

US

# Safety Data Sheet

Created according to GHS

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: K-HUMATE 26%

(Contd. of page 6)

- |  |                 |
|--|-----------------|
| <b>· UN proper shipping name</b>   |                 |
| <b>· DOT, ADR, IMDG, IATA</b>  | Void            |
| <b>· Transport hazard class(es)</b>  |                 |
| <b>· DOT, ADR, ADN, IMDG, IATA</b>   |                 |
| <b>· Class</b>   | Void            |
| <b>· Packing group</b>   |                 |
| <b>· DOT, ADR, IMDG, IATA</b>  | Void            |
| <b>· Environmental hazards:</b>  | Not applicable. |
| <b>· Special precautions for user</b>  | Not applicable. |
| <b>· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b> | Not applicable. |
| <b>· UN "Model Regulation":</b>  | Void            |

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**

<b>· Section 355 (extremely hazardous substances):</b>	
--	--

None of the ingredients is listed.

<b>· Section 313 (Specific toxic chemical listings):</b>	
--	--

None of the ingredients is listed.

<b>· TSCA (Toxic Substances Control Act):</b>	
---	--

68514-28-3 | K-HUMATE powder

ACTIVE

<b>· Hazardous Air Pollutants</b>	
-----------------------------------	--

None of the ingredients is listed.

<b>· Proposition 65</b>	
-------------------------	--

<b>· Chemicals known to cause cancer:</b>	
---	--

None of the ingredients is listed.

<b>· Chemicals known to cause reproductive toxicity for females:</b>	
--	--

None of the ingredients is listed.

<b>· Chemicals known to cause reproductive toxicity for males:</b>	
--	--

None of the ingredients is listed.

<b>· Chemicals known to cause developmental toxicity:</b>	
---	--

None of the ingredients is listed.

<b>· Carcinogenic categories</b>	
----------------------------------	--

<b>· EPA (Environmental Protection Agency)</b>	
--	--

None of the ingredients is listed.

<b>· TLV (Threshold Limit Value)</b>	
--------------------------------------	--

None of the ingredients is listed.

<b>· NIOSH-Ca (National Institute for Occupational Safety and Health)</b>	
---	--

None of the ingredients is listed.

· **GHS label elements** Void· **Hazard pictograms** Void· **Signal word** Void· **Hazard statements** Void

(Contd. on page 8)

# Safety Data Sheet

Created according to GHS

Printing date 10/15/2024

Reviewed on 10/15/2024

Trade name: **K-HUMATE 26%**· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

(Contd. of page 7)

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Contact:**· **Date of preparation / last revision** 10/15/2024· **Abbreviations and acronyms:**

*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMIS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

· **\* Data compared to the previous version altered.**